ELSEVIER

Hearing Research 84 (1995) 205–206

HEARING RESEARCH

Author Index

Asashima, M., see Wiederhold, M.L. (84) 41

Batten, J., see Steyger, P.S. (84) 61
Batten, J.S., see Wiederhold, M.L. (84) 41
Bearden, A., see O'Neill, M.P. (84) 125
Bo, X., see Mockett, B.G. (84) 177
Burnstock, G., see Mockett, B.G. (84) 177

Canlon, B. and Fransson, A.
Morphological and functional preservation of the outer hair cells from noise trauma by sound conditioning (84) 112
Chittajallu, S.K., Palakal, M.J. and Wong, D.
Analysis and classification of delay-sensitive cortical neurons based on response to temporal parameters in echolocation signals (84) 157
Clerici, W.J., DiMartino, D.L. and Prasad, M.R.
Direct effects of reactive oxygen species on cochlear outer hair cell shape in vitro (84) 30
Coker, N.J., see Henley, C.M. (84) 99

DiMartino, D.L., see Clerici, W.J. (84) 30
Dooling, R.J., see Langemann, U. (84) 167

Egert, D. and Lewis, E.R.
Temperature-dependence of saccular nerve fiber response in the North American bullfrog (84) 72

Fitzakerley, J.L., see Walsh, E.J. (84) 194
Fransson, A., see Canlon, B. (84) 112
Furness, D.N., see Hilger, A.W. (84) 1

Grose, J.H., see Hall III, J.W. (84) 91

Haddox, M.K., see Henley, C.M. (84) 99
Hall III, J.W., Grose, J.H. and Mendoza, L.L.
Masker interaural phase and the MLD: Effects of conductive hearing loss (84) 91
Henley, C.M., Salzer, T.A., Coker, N.J., Smith, G. and Haddox, M.K.
Localization of ornithine decarboxylase (ODC) in the cochlea of the immature rat (84) 99
Henry, W.R. and Mulroy, M.J.
Afferent synaptic changes in auditory hair cells during noise-induced temporary threshold shift (84) 81
Hilger, A.W., Furness, D.N. and Wilson, J.P.
The possible relationship between transient evoked otoacoustic emissions and organ of Corti irregularities in the guinea pig (84) 1
Housley, G.D., see Mockett, B.G. (84) 177

Klump, G.M., see Langemann, U. (84) 167
Koike, H., see Wiederhold, M.L. (84) 41

Kuhn, B. and Vater, M.
The arrangements of F-actin, tubulin and fodrin in the organ of Corti of the horseshoe bat (*Rhinolophus rouxi*) and the gerbil (*Meriones unguiculatus*) (84) 139

Langemann, U., Klump, G.M. and Dooling, R.J.
Critical bands and critical-ratio bandwidth in the European starling (84) 167
Larsen, K.A., see Wiederhold, M.L. (84) 41
Lewis, E.R., see Egert, D. (84) 72
Liu, J., see Wangemann, P. (84) 19
Lutz, C. and Schweitzer, L.
Longitudinal and radial differences in the subsurface cisternal system in the gerbil cochlea (84) 12

Marcus, D.C., see Wangemann, P. (84) 19
McGee, J.A., see Walsh, E.J. (84) 194
McGuirt, J.P., Schmiedt, R.A. and Schulte, B.A.
Development of cochlear potentials in the neonatal gerbil (84) 52
Mendoza, L.L., see Hall III, J.W. (84) 91
Mockett, B.G., Bo, X., Housley, G.D., Thorne, P.R. and Burnstock, G.
Autoradiographic labelling of P_2 purinoceptors in the guinea-pig cochlea (84) 177
Mulroy, M.J., see Henry, W.R. (84) 81

O'Neill, M.P. and Bearden, A.
Laser-feedback measurements of turtle basilar membrane motion using direct reflection (84) 125

Palakal, M.J., see Chittajallu, S.K. (84) 157
Prasad, M.R., see Clerici, W.J. (84) 30

Salzer, T.A., see Henley, C.M. (84) 99
Schmiedt, R.A., see McGuirt, J.P. (84) 52
Schulte, B.A., see McGuirt, J.P. (84) 52
Schweitzer, L., see Lutz, C. (84) 12
Smith, G., see Henley, C.M. (84) 99
Steyger, P.S., Wiederhold, M.L. and Batten, J.
The morphogenic features of otoconia during larval development of *Cynops pyrrhogaster*, the Japanese red-bellied newt (84) 61

Thorne, P.R., see Mockett, B.G. (84) 177

Vater, M., see Kuhn, B. (84) 139

Walsh, E.J., McGee, J.A. and Fitzakerley, J.L.
Activity-dependent responses of developing cochlear nuclear neurons to microionophoretically-applied amino acids (84) 194

Wangemann, P., Liu, J. and Marcus, D.C.
Ion transport mechanisms responsible for K^+ secretion and the transepithelial voltage across marginal cells of stria vascularis in vitro (84) 19
Wiederhold, M.L., Yamashita, M., Larsen, K.A., Batten, J.S., Koike, H. and Asashima, M.
Development of the otolith organs and semicircular canals in the Japanese red-bellied newt, *Cynops pyrrhogaster* (84) 41
Wiederhold, M.L., see Steyger, P.S. (84) 61
Wilson, J.P., see Hilger, A.W. (84) 1
Wong, D., see Chittajallu, S.K. (84) 157

Yamashita, M., see Wiederhold, M.L. (84) 41

ELSEVIER

Hearing Research 84 (1995) 207–209

HEARING RESEARCH

Subject Index

Alligator lizard
Cochlea; Hair cell; Noise-induced hearing loss; TTS; Synapse; Synaptic body (Henry, W.R. (84) 81)

β,γ-methylene-ATP
Extracellular ATP; [^{3}H]α,β-methylene-ATP; [^{35}S]dATPαS; 2-methylthio-ATP; Organ of Corti; Stria vascularis; Spiral ganglion; Hair cells (Mockett, B.G. (84) 177)

2-methylthio-ATP
Extracellular ATP; [^{3}H]α,β-methylene-ATP; β,γ-methylene-ATP; [^{35}S]dATPαS; Organ of Corti; Stria vascularis; Spiral ganglion; Hair cells (Mockett, B.G. (84) 177)

Auditory
Cytoplasmic bleb; Free radical; Hydrogen peroxide; Hydroxyl radical; Superoxide anion (Clerici, W.J. (84) 30)

Cochlea; Distortion product emission; Noise; Protection; Sound conditioning (Canlon, B. (84) 112)

Neurotransmitter; Voltage-dependent; EAA; Microiontophoresis (Walsh, E.J. (84) 194)

Auditory nerve
Frog; Sacculus; Temperature; Tuning (Egert, D. (84) 72)

Basilar papilla
Reptile ear; Cochlea; Frequency tuning; Laser-feedback interferometry (O'Neill, M.P. (84) 125)

Binaural hearing
Masking-level difference; Conductive hearing loss; Middle ear mechanics (Hall III, J.W. (84) 91)

Biomineralization
Otoconia; Vestibular; Morphogenesis; Extracellular matrix (Steyger, P.S. (84) 61)

Bird
Frequency selectivity; Critical-ratio bandwidth; Critical band (Langemann, U. (84) 167)

Cochlea
Evoked otoacoustic emissions; Hair-cell; Guinea pig (Hilger, A.W. (84) 1)

Stria vascularis; Marginal cells; Vibrating probe; Micro-Ussing chamber (Wangemann, P. (84) 19)

Development; Gerbil; Compound action potential; Cochlear microphonic; Endocochlear potential (McGuirt, J.P. (84) 52)

Hair cell; Noise-induced hearing loss; TTS; Alligator lizard; Synapse; Synaptic body (Henry, W.R. (84) 81)

Ornithine decarboxylase; Cochlear development; Polyamines (Henley, C.M. (84) 99)

Auditory; Distortion product emission; Noise; Protection; Sound conditioning (Canlon, B. (84) 112)

Reptile ear; Basilar papilla; Frequency tuning; Laser-feedback interferometry (O'Neill, M.P. (84) 125)

Cytoskeleton; Immunocytochemistry; Hair cells; Supporting cells (Kuhn, B. (84) 139)

Cochlear development
Ornithine decarboxylase; Cochlea; Polyamines (Henley, C.M. (84) 99)

Cochlear microphonic
Cochlea; Development; Gerbil; Compound action potential; Endocochlear potential (McGuirt, J.P. (84) 52)

Compound action potential
Cochlea; Development; Gerbil; Cochlear microphonic; Endocochlear potential (McGuirt, J.P. (84) 52)

Conductive hearing loss
Masking-level difference; Binaural hearing; Middle ear mechanics (Hall III, J.W. (84) 91)

Critical band
Bird; Frequency selectivity; Critical-ratio bandwidth (Langemann, U. (84) 167)

Critical-ratio bandwidth
Bird; Frequency selectivity; Critical band (Langemann, U. (84) 167)

Cytoplasmic bleb
Auditory; Free radical; Hydrogen peroxide; Hydroxyl radical; Superoxide anion (Clerici, W.J. (84) 30)

Cytoskeleton
Cochlea; Immunocytochemistry; Hair cells; Supporting cells (Kuhn, B. (84) 139)

Development
Otoconia; Otolith; Utricle; Saccule; Semicircular canals (Wiederhold, M.L. (84) 41)

Cochlea; Gerbil; Compound action potential; Cochlear microphonic; Endocochlear potential (McGuirt, J.P. (84) 52)

Distortion product emission
Auditory; Cochlea; Noise; Protection; Sound conditioning (Canlon, B. (84) 112)

EAA
Neurotransmitter; Voltage-dependent; Auditory; Microiontophoresis (Walsh, E.J. (84) 194)

Electromotility
Gradients; Outer hair cells; Subsurface cisternae; Ototoxicity (Lutz, C. (84) 12)

Endocochlear potential
Cochlea; Development; Gerbil; Compound action potential; Cochlear microphonic (McGuirt, J.P. (84) 52)

Evoked otoacoustic emissions
Cochlea; Hair-cell; Guinea pig (Hilger, A.W. (84) 1)

Extracellular ATP
[^{3}H]α,β-methylene-ATP; β,γ-methylene-ATP; [^{35}S]dATPαS; 2-methylthio-ATP; Organ of Corti; Stria vascularis; Spiral ganglion; Hair cells (Mockett, B.G. (84) 177)

Extracellular matrix
Otoconia; Vestibular; Morphogenesis; Biomineralization (Steyger, P.S. (84) 61)

Free radical
Auditory; Cytoplasmic bleb; Hydrogen peroxide; Hydroxyl radical; Superoxide anion (Clerici, W.J. (84) 30)

Frequency selectivity
Bird; Critical-ratio bandwidth; Critical band (Langemann, U. (84) 167)

Frequency tuning
Reptile ear; Cochlea; Basilar papilla; Laser-feedback interferometry (O'Neill, M.P. (84) 125)

Frog
Sacculus; Temperature; Tuning; Auditory nerve (Egert, D. (84) 72)

Gerbil
Cochlea; Development; Compound action potential; Cochlear microphonic; Endocochlear potential (McGuirt, J.P. (84) 52)

Gradients
Outer hair cells; Subsurface cisternae; Ototoxicity; Electromotility (Lutz, C. (84) 12)

Guinea pig
Evoked otoacoustic emissions; Cochlea; Hair-cell (Hilger, A.W. (84) 1)

[^{3}H]α,β-methylene-ATP
Extracellular ATP; β,γ-methylene-ATP; [^{35}S]dATPαS; 2-methylthio-ATP; Organ of Corti; Stria vascularis; Spiral ganglion; Hair cells (Mockett, B.G. (84) 177)

Hair-cell
Evoked otoacoustic emissions; Cochlea; Guinea pig (Hilger, A.W. (84) 1)

Hair cell
Cochlea; Noise-induced hearing loss; TTS; Alligator lizard; Synapse; Synaptic body (Henry, W.R. (84) 81)

Hair cells
Cochlea; Cytoskeleton; Immunocytochemistry; Supporting cells (Kuhn, B. (84) 139)

Extracellular ATP; [^{3}H]α,β-methylene-ATP; β,γ-methylene-ATP; [^{35}S]dATPαS; 2-methylthio-ATP; Organ of Corti; Stria vascularis; Spiral ganglion (Mockett, B.G. (84) 177)

Hydrogen peroxide
Auditory; Cytoplasmic bleb; Free radical; Hydroxyl radical; Superoxide anion (Clerici, W.J. (84) 30)

Hydroxyl radical
Auditory; Cytoplasmic bleb; Free radical; Hydrogen peroxide; Superoxide anion (Clerici, W.J. (84) 30)

Immunocytochemistry
Cochlea; Cytoskeleton; Hair cells; Supporting cells (Kuhn, B. (84) 139)

Laser-feedback interferometry
Reptile ear; Cochlea; Basilar papilla; Frequency tuning (O'Neill, M.P. (84) 125)

Marginal cells
Stria vascularis; Cochlea; Vibrating probe; Micro-Ussing chamber (Wangemann, P. (84) 19)

Masking-level difference
Binaural hearing; Conductive hearing loss; Middle ear mechanics (Hall III, J.W. (84) 91)

Microiontophoresis
Neurotransmitter; Voltage-dependent; Auditory; EAA (Walsh, E.J. (84) 194)

Micro-Ussing chamber
Stria vascularis; Cochlea; Marginal cells; Vibrating probe (Wangemann, P. (84) 19)

Middle ear mechanics
Masking-level difference; Binaural hearing; Conductive hearing loss (Hall III, J.W. (84) 91)

Morphogenesis
Otoconia; Vestibular; Biomineralization; Extracellular matrix (Steyger, P.S. (84) 61)

Neurotransmitter
Voltage-dependent; Auditory; EAA; Microiontophoresis (Walsh, E.J. (84) 194)

Noise
Auditory; Cochlea; Distortion product emission; Protection; Sound conditioning (Canlon, B. (84) 112)

Noise-induced hearing loss
Cochlea; Hair cell; TTS; Alligator lizard; Synapse; Synaptic body (Henry, W.R. (84) 81)

Organ of Corti
Extracellular ATP; [^{3}H]α,β-methylene-ATP; β,γ-methylene-ATP; [^{35}S]dATPαS; 2-methylthio-ATP; Stria vascularis; Spiral ganglion; Hair cells (Mockett, B.G. (84) 177)

Ornithine decarboxylase
Cochlea; Cochlear development; Polyamines (Henley, C.M. (84) 99)

Otoconia
Otolith; Utricle; Saccule; Semicircular canals; Development (Wiederhold, M.L. (84) 41)

Vestibular; Morphogenesis; Biomineralization; Extracellular matrix (Steyger, P.S. (84) 61)

Otolith
Otoconia; Utricle; Saccule; Semicircular canals; Development (Wiederhold, M.L. (84) 41)

Ototoxicity
Gradients; Outer hair cells; Subsurface cisternae; Electromotility (Lutz, C. (84) 12)

Outer hair cells
Gradients; Subsurface cisternae; Ototoxicity; Electromotility (Lutz, C. (84) 12)

Polyamines
Ornithine decarboxylase; Cochlea; Cochlear development (Henley, C.M. (84) 99)

Protection
Auditory; Cochlea; Distortion product emission; Noise; Sound conditioning (Canlon, B. (84) 112)

Reptile ear
Cochlea; Basilar papilla; Frequency tuning; Laser-feedback interferometry (O'Neill, M.P. (84) 125)

Saccule
Otoconia; Otolith; Utricle; Semicircular canals; Development (Wiederhold, M.L. (84) 41)

Sacculus
Frog; Temperature; Tuning; Auditory nerve (Egert, D. (84) 72)

[^{35}S]dATPαS
Extracellular ATP; [^{3}H]α,β-methylene-ATP; β,γ-methylene-ATP; 2-methylthio-ATP; Organ of Corti; Stria vascularis; Spiral ganglion; Hair cells (Mockett, B.G. (84) 177)

Semicircular canals
Otoconia; Otolith; Utricle; Saccule; Development (Wiederhold, M.L. (84) 41)

Sound conditioning
Auditory; Cochlea; Distortion product emission; Noise; Protection (Canlon, B. (84) 112)

Spiral ganglion
Extracellular ATP; [^{3}H]α,β-methylene-ATP; β,γ-methylene-ATP; [^{35}S]dATPαS; 2-methylthio-ATP; Organ of Corti; Stria vascularis; Hair cells (Mockett, B.G. (84) 177)

Stria vascularis
Cochlea; Marginal cells; Vibrating probe; Micro-Ussing chamber (Wangemann, P. (84) 19)

Extracellular ATP; [^{3}H]α,β-methylene-ATP; β,γ-methylene-ATP; [^{35}S]dATPαS; 2-methylthio-ATP; Organ of Corti; Spiral ganglion; Hair cells (Mockett, B.G. (84) 177)

Subsurface cisternae
Gradients; Outer hair cells; Ototoxicity; Electromotility (Lutz, C. (84) 12)

Superoxide anion
Auditory; Cytoplasmic bleb; Free radical; Hydrogen peroxide; Hydroxyl radical (Clerici, W.J. (84) 30)

Supporting cells
Cochlea; Cytoskeleton; Immunocytochemistry; Hair cells (Kuhn, B. (84) 139)

Synapse
Cochlea; Hair cell; Noise-induced hearing loss; TTS; Alligator lizard; Synaptic body (Henry, W.R. (84) 81)

Synaptic body
Cochlea; Hair cell; Noise-induced hearing loss; TTS; Alligator lizard; Synapse (Henry, W.R. (84) 81)

Temperature
Frog; Sacculus; Tuning; Auditory nerve (Egert, D. (84) 72)

TTS
Cochlea; Hair cell; Noise-induced hearing loss; Alligator lizard; Synapse; Synaptic body (Henry, W.R. (84) 81)

Tuning
Frog; Sacculus; Temperature; Auditory nerve (Egert, D. (84) 72)

Utricle
Otoconia; Otolith; Saccule; Semicircular canals; Development (Wiederhold, M.L. (84) 41)

Vestibular
Otoconia; Morphogenesis; Biomineralization; Extracellular matrix (Steyger, P.S. (84) 61)

Vibrating probe
Stria vascularis; Cochlea; Marginal cells; Micro-Ussing chamber (Wangemann, P. (84) 19)

Voltage-dependent
Neurotransmitter; Auditory; EAA; Microiontophoresis (Walsh, E.J. (84) 194)